

Центробежные насосы LDL

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



High Quality Series Vertical Inline Centrifugs Vertical Inline Centrifugal Water Pump Vertical Multistage Centrifugal Pump

Overview

Quick Details

Brand Name:	LYSON
Model Number:	LDL
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Other
Theory:	Centrifugal Pump
Usage:	Water
Power:	Electric
Standard or Nonstandard:	Nonstandard
Application:	Cryogenic
Fuel:	Other
Product name:	multistage centrifugal pump
Material:	Cast iron
Voltage:	220V/380V
Certificate:	ISO9001 CE
Color:	Green
Type:	Watering
Warranty:	1 Year
Name:	DC PUMP
Motor:	DC Motor
Feature:	High Efficiency

Product details

Product name:

Price vertical multistage centrifugal pump for Water Treatment, Daily Life, Agriculture, Industry

Main uses: High-rise buildings, fire protection, refrigeration systems and industrial, agricultural, hotel, deep well

Pumping water, fresh water and sea transport etc.

Detailed use:

1, water supply: Water filtration and distribution, water supply main pipe water area, the first increase in pressure,

Increased pressure of high-rise buildings.

2, industrial pressure: Industrial production water system, cleaning system, high pressure washing system, fire protection System.

3, industrial liquid conveying: Cooling and air-conditioning system, boiler feed water and condensate systems, machine

Matching, acidic and alkaline medium transport.

4: Water treatment system, water treatment system, ultrafiltration system, reverse osmosis system distillation system, Separator and a swimming pool.

5, irrigation: Farmland irrigate, sprinkler irrigation, drip irrigation.

The transmission medium:

1, Non flammable and explosive medium, thin, clean, containing no solid particles or fibers.

2, such as mineral water, softened water, pure water, thin sewage water, food oil and other light industry media.

3, pump the main material for stainless steel, can be used in pumping mildly corrosive media.

The scope of performance parameter:

Performance parameter scope the LDL series altogether has 7 varieties, 185 specification its performance parameter scope is:

1. Current capacity $Q=4.9\sim 324\text{m}^3/\text{h}$

2. Lifts $H=18\sim 310\text{m}$

3. Rotational speed $n=1480\text{r}/\text{min}$

4. Power $P=1.5\sim 315\text{kw}$

5. Induction port diameter $D_{na}=40\sim 200\text{mm}$

6. Spout diameter $D_{Nm}=40\sim 150\text{mm}$



High Quality High Pressure Vertical Multistage Jockey Pump Italy Pump

Overview

Quick Details

Brand Name:	LYSON
Model Number:	Pump
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Multistage Pump
Theory:	Centrifugal Pump
Usage:	Water
Power:	Electric
Standard or Nonstandard:	Standard
Fuel:	Electric
Application:	Transfer water
Material:	Stainless Steel 304
Product name:	high pressure centrifugal pump
Voltage:	220V/380V
Motor:	100% Copper Wire
Certificate:	CE Certificate
Warranty:	1 Year
Feature:	High Efficiency
Type:	Vertical
Name:	Transfer water pumps
Color:	Black

Product details

Product name:

Price vertical multistage centrifugal pump for Water Treatment, Daily Life, Agriculture, Industry

Main uses: High-rise buildings, fire protection, refrigeration systems and industrial, agricultural, hotel, deep well

Pumping water, fresh water and sea transport etc.

Detailed use:

1, water supply: Water filtration and distribution, water supply main pipe water area, the first increase in pressure,

Increased pressure of high-rise buildings.

2, industrial pressure: Industrial production water system, cleaning system, high pressure washing system, fire protection System.

3, industrial liquid conveying: Cooling and air-conditioning system, boiler feed water and condensate systems, machine

Matching, acidic and alkaline medium transport.

4: Water treatment system, water treatment system, ultrafiltration system, reverse osmosis system distillation system, Separator and a swimming pool.

5, irrigation: Farmland irrigate, sprinkler irrigation, drip irrigation.

The transmission medium:

1, Non flammable and explosive medium, thin, clean, containing no solid particles or fibers.

2, such as mineral water, softened water, pure water, thin sewage water, food oil and other light industry media.

3, pump the main material for stainless steel, can be used in pumping mildly corrosive media.

The scope of performance parameter:

Performance parameter scope the LDL series altogether has 7 varieties, 185 specification its performance parameter scope is:

1. Current capacity $Q=4.9\sim 324\text{m}^3/\text{h}$

2. Lifts $H=18\sim 310\text{m}$

3. Rotational speed $n=1480\text{r}/\text{min}$

4. Power $P=1.5\sim 315\text{kw}$

5. Induction port diameter $D_{na}=40\sim 200\text{mm}$

6. Spout diameter $D_{Nm}=40\sim 150\text{mm}$



LDL series High Quality High Pressure Of Multistage Building Booster Pump

Overview

Quick Details

Brand Name:	lyson
Model Number:	40LDL6.2-12*6
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Multistage Pump
Theory:	Centrifugal Pump
Usage:	Water
Power:	Electric
Standard or Nonstandard:	Standard
Application:	Submersible
Fuel:	Electric
Product name:	Submersible Pump
Material:	Cast Steel
Voltage:	220V/380V
Certificate:	ISO9001:2008
Warranty:	1 Year
MOQ:	1 Set
Color:	Customers' Requirement
Type:	Watering
Motor:	DC Motor
Feature:	High Efficiency

Product details

Product name:

Price vertical multistage centrifugal pump for Water Treatment, Daily Life, Agriculture, Industry

Main uses: High-rise buildings, fire protection, refrigeration systems and industrial, agricultural, hotel, deep well

Pumping water, fresh water and sea transport etc.

Detailed use:

1, water supply: Water filtration and distribution, water supply main pipe water area, the first increase in pressure,

Increased pressure of high-rise buildings.

2, industrial pressure: Industrial production water system, cleaning system, high pressure washing system, fire protection System.

3, industrial liquid conveying: Cooling and air-conditioning system, boiler feed water and condensate systems, machine

Matching, acidic and alkaline medium transport.

4: Water treatment system, water treatment system, ultrafiltration system, reverse osmosis system distillation system, Separator and a swimming pool.

5, irrigation: Farmland irrigate, sprinkler irrigation, drip irrigation.

The transmission medium:

1, Non flammable and explosive medium, thin, clean, containing no solid particles or fibers.

2, such as mineral water, softened water, pure water, thin sewage water, food oil and other light industry media.

3, pump the main material for stainless steel, can be used in pumping mildly corrosive media.

The scope of performance parameter:

Performance parameter scope the LDL series altogether has 7 varieties, 185 specification its performance parameter scope is:

1. Current capacity $Q=4.9\sim 324\text{m}^3/\text{h}$

2. Lifts $H=18\sim 310\text{m}$

3. Rotational speed $n=1480\text{r}/\text{min}$

4. Power $P=1.5\sim 315\text{kw}$

5. Induction port diameter $D_{na}=40\sim 200\text{mm}$

6. Spout diameter $D_{Nm}=40\sim 150\text{mm}$

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93