

# WQ

## Технические характеристики

### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Россия (495)268-04-70

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Казахстан (7172)727-132

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93



Submersible blow-down pump Vertical Inline Sewage Pump

## Overview

---

### Quick Details

Brand Name:	LYSON
Model Number:	50WQ10-10-0.75
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Multistage Pump
Usage:	Water
Application:	Sewage
Power:	Electric
Fuel:	electric
Theory:	Centrifugal Pump
Standard or Nonstandard:	Standard
Material:	Cast Steel
Product name:	Sewage Pump
Voltage:	220V/380V
Certificate:	ISO9001
Color:	Black
Type:	Vertical
Warranty:	1 Year
Name:	lyson pump

---

## Product details

### Production Description:

Product Introduction: With a special single impeller or double impellers, WQ series sewage pump greatly improves ability of passing dirt. The fiber material, 5 times bigger than pump caliber can be passed. Diameter of solid particles, which is equal to 50% of pump caliber also can be passed.

### Product Application

- > The sewage of the factory sewage
- > The sewage treatment system of the sewage treatment plant
- > The sewage treatment system of the urban sewage treatment plant
- > The sewage discharge of the hospital and the hotel

### Specification

Product Name:	WQ Non-clogging Submersible Sewage Pump
Material:	Cast iron
Seal Material:	Graphite/silicon carbide
Max. Flow:	2400m <sup>3</sup> /h/ 10567GPM
Max. Head:	40m
Max. Pressure:	4bar/58psi
Max. Working	60°C/140F
Max. rev:	2950rpm
Motor Power:	0.55kw~315kw
Voltage:	220v,380v
Motor:	AFT,50hz/60hz
Available Connection:	Flange(EN1092-2,IS07005-2)
Operated:	Electric
Application Scope:	Sewage treatment system
Packaging Details:	Wooden box
Delivery details:	7-20 days after receiving payment
Brand:	LYSON or OEM



## Sewage Commercial Dewatering Sump Pump 5 hp Submersible Pump 3 Phase

### Overview

#### Quick Details

Brand Name:	Lyson
Model Number:	100WQ50-10-3
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Single-stage Pump
Theory:	Centrifugal Pump
Usage:	Water
Power:	Electric
Standard or Nonstandard:	Standard
Application:	Sewage
Fuel:	Other
Material:	Cast Iron
Warranty:	1 Year
Color:	Black
Feature:	High Efficiency
Voltage:	220V/380V
Certificate:	CE Certificate
Type:	Vertical
Product name:	Sewage Commercial Dewatering Sump Pump
Name:	DC PUMP
Motor:	DC Motor

## Product details

### Production Description:

Product Introduction: With a special single impeller or double impellers, WQ series sewage pump greatly improves ability of passing dirt. The fiber material, 5 times bigger than pump caliber can be passed. Diameter of solid particles, which is equal to 50% of pump caliber also can be passed.

### Product Application

- > The sewage of the factory sewage
- > The sewage treatment system of the sewage treatment plant
- > The sewage treatment system of the urban sewage treatment plant
- > The sewage discharge of the hospital and the hotel

### Specification

Product Name:	WQ Non-clogging Submersible Sewage Pump
Material:	Cast iron
Seal Material:	Graphite/silicon carbide
Max. Flow:	2400m <sup>3</sup> /h/ 10567GPM
Max. Head:	40m
Max. Pressure:	4bar/58psi
Max. Working	60°C/140F
Max. rev:	2950rpm
Motor Power:	0.55kw~315kw
Voltage:	220v,380v
Motor:	AFT,50hz/60hz
Available Connection:	Flange(EN1092-2,IS07005-2)
Operated:	Electric
Application Scope:	Sewage treatment system
Packaging Details:	Wooden box
Delivery details:	7-20 days after receiving payment
Brand:	LYSON or OEM

### Performance Parameters:

Flow Q= 6~2650 m<sup>3</sup>/h

Head H= 5~36 m

Rev n=980 , 1450, 2950 r/min

Power P=0.55~315 kw

Inlet diameter D<sub>in</sub>=25~500 mm

Outlet diameter D<sub>out</sub>=25~500 mm

Allowable working pressure ≤6 bar



## Vertical Sewage Centrifugal Submersible Pump

### Overview

---

#### Quick Details

Brand Name:	LYSON
Model Number:	WQ
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Multistage Pump
Usage:	Water
Application:	Sewage
Power:	Electric
Fuel:	Other
Theory:	Centrifugal Pump
Standard or Nonstandard:	Standard
Product name:	High Quality Submersible Pump
Material:	Steel
Voltage:	220V/380V
Certificate:	ISO9001:2008
Color:	Black
Type:	Watering
Warranty:	1 Year
Feature:	High Efficiency

---

## Product details

### Production Description:

Product Introduction: With a special single impeller or double impellers, WQ series sewage pump greatly improves ability of passing dirt. The fiber material, 5 times bigger than pump caliber can be passed. Diameter of solid particles, which is equal to 50% of pump caliber also can be passed.

### Product Application

- > The sewage of the factory sewage
- > The sewage treatment system of the sewage treatment plant
- > The sewage treatment system of the urban sewage treatment plant
- > The sewage discharge of the hospital and the hotel

### Specification

Product Name:	WQ Non-clogging Submersible Sewage Pump
Material:	Cast iron
Seal Material:	Graphite/silicon carbide
Max. Flow:	2400m <sup>3</sup> /h/ 10567GPM
Max. Head:	40m
Max. Pressure:	4bar/58psi
Max. Working	60°C/140F
Max. rev:	2950rpm
Motor Power:	0.55kw~315kw
Voltage:	220v,380v
Motor:	AFT,50hz/60hz
Available Connection:	Flange(EN1092-2,IS07005-2)
Operated:	Electric
Application Scope:	Sewage treatment system
Packaging Details:	Wooden box
Delivery details:	7-20 days after receiving payment
Brand:	LYSON or OEM



High Quality Slurry Pump Sludge Sewage Centrifugal Water Pump Vertical Electric Water Pump

Overview

Quick Details

Brand Name:	Lyson
Model Number:	50JYWQ25-10-1.5
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Single-stage Pump
Theory:	Centrifugal Pump
Usage:	Water
Power:	Electric
Standard or Nonstandard:	Standard
Application:	Sewage
Fuel:	Other
Material:	Cast Iron
Warranty:	1 Year
Color:	Black
Feature:	High Efficiency
Voltage:	220V/380V
Certificate:	CE Certificate
Type:	Vertical
Product name:	Sewage Pump
Motor:	DC Motor
Name:	DC PUMP



## Product details

### Production Description:

Product Introduction: With a special single impeller or double impellers, WQ series sewage pump greatly improves ability of passing dirt. The fiber material, 5 times bigger than pump caliber can be passed. Diameter of solid particles, which is equal to 50% of pump caliber also can be passed.

### Product Application

- > The sewage of the factory sewage
- > The sewage treatment system of the sewage treatment plant
- > The sewage treatment system of the urban sewage treatment plant
- > The sewage discharge of the hospital and the hotel

### Specification

Product Name:	WQ Non-clogging Submersible Sewage Pump
Material:	Cast iron
Seal Material:	Graphite/silicon carbide
Max. Flow:	2400m <sup>3</sup> /h/ 10567GPM
Max. Head:	40m
Max. Pressure:	4bar/58psi
Max. Working	60°C/140F
Max. rev:	2950rpm
Motor Power:	0.55kw~315kw
Voltage:	220v,380v
Motor:	AFT,50hz/60hz
Available Connection:	Flange(EN1092-2,IS07005-2)
Operated:	Electric
Application Scope:	Sewage treatment system
Packaging Details:	Wooden box
Delivery details:	7-20 days after receiving payment
Brand:	LYSON or OEM



Purchasing Factory Sewage Pump Vertical Mechanical Seal For Submersible Sewage Pump Sewage Centrifugal Pump

Overview

Quick Details

Brand Name:	LYSON
Model Number:	80WQJ50-15-4
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Multistage Pump
Theory:	Centrifugal Pump
Usage:	Water
Power:	Electric
Standard or Nonstandard:	Standard
Fuel:	Diesel
Application:	Sewage
Product name:	Purchasing Factory Sewage Pump Vertical
Material:	Steel
Voltage:	220V/380V
Certificate:	ISO9001:2008
Warranty:	1 Year
Type:	Watering
Color:	Black
Name:	DC PUMP
Feature:	High Efficiency
Motor:	DC Motor

## Product details

### Production Description:

Product Introduction: With a special single impeller or double impellers, WQ series sewage pump greatly improves ability of passing dirt. The fiber material, 5 times bigger than pump caliber can be passed. Diameter of solid particles, which is equal to 50% of pump caliber also can be passed.

### Product Application

- > The sewage of the factory sewage
- > The sewage treatment system of the sewage treatment plant
- > The sewage treatment system of the urban sewage treatment plant
- > The sewage discharge of the hospital and the hotel

### Specification

Product Name:	WQ Non-clogging Submersible Sewage Pump
Material:	Cast iron
Seal Material:	Graphite/silicon carbide
Max. Flow:	2400m <sup>3</sup> /h/ 10567GPM
Max. Head:	40m
Max. Pressure:	4bar/58psi
Max. Working	60°C/140F
Max. rev:	2950rpm
Motor Power:	0.55kw~315kw
Voltage:	220v,380v
Motor:	AFT,50hz/60hz
Available Connection:	Flange(EN1092-2,ISO7005-2)
Operated:	Electric
Application Scope:	Sewage treatment system
Packaging Details:	Wooden box
Delivery details:	7-20 days after receiving payment
Brand:	LYSON or OEM



## High Quality Wastewater/ Sewage Cutter Submersible Centrifugal Drainage Water Pump

### Overview

---

#### Quick Details

Brand Name:	LYSON
Model Number:	50WQ10-10-0.75
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Multistage Pump
Theory:	Centrifugal Pump
Usage:	Water
Power:	Electric
Standard or Nonstandard:	Standard
Fuel:	Diesel
Application:	Sewage
Product name:	Wastewater/ Sewage Cutter Submersible Water Pump
Material:	Steel
Voltage:	220V/380V
Certificate:	ISO9001
Warranty:	1 Year
Color:	Black
Type:	Watering
Name:	DC PUMP
Motor:	DC Motor
Feature:	High Efficiency

---

## Product Details

### Production Description:

Product Introduction: With a special single impeller or double impellers, WQ series sewage pump greatly improves ability of passing dirt. The fiber material, 5 times bigger than pump caliber can be passed. Diameter of solid particles, which is equal to 50% of pump caliber also can be passed.

### Product Application

- > The sewage of the factory sewage
- > The sewage treatment system of the sewage treatment plant
- > The sewage treatment system of the urban sewage treatment plant
- > The sewage discharge of the hospital and the hotel

### Specification

Product Name:	WQ Non-clogging Submersible Sewage Pump
Material:	Cast iron
Seal Material:	Graphite/silicon carbide
Max. Flow:	2400m <sup>3</sup> /h/ 10567GPM
Max. Head:	40m
Max. Pressure:	4bar/58psi
Max. Working	60°C/140F
Max. rev:	2950rpm
Motor Power:	0.55kw~315kw
Voltage:	220v,380v
Motor:	AFT,50hz/60hz
Available Connection:	Flange(EN1092-2,ISO7005-2)
Operated:	Electric
Application Scope:	Sewage treatment system
Packaging Details:	Wooden box
Delivery details:	7-20 days after receiving payment
Brand:	LYSON or OEM



Cutting Sewage Pumps Water Usage Fecal Submersible Price Philippines Pump

## Overview

### Quick Details

Brand Name:	LYSON
Model Number:	50WQ15-30-3
Place of Origin:	Shanghai, China
Pressure:	High Pressure
Structure:	Single-stage Pump
Theory:	Centrifugal Pump
Usage:	Water
Power:	Electric
Standard or Nonstandard:	Standard
Fuel:	Diesel
Application:	Sewage
Product name:	Sewage Pump Price Philippines
Material:	Steel
Voltage:	220V/380V
Certificate:	ISO9001
Warranty:	1 Year
Color:	Black
Type:	Watering
Name:	DC PUMP
Motor:	DC Motor
Feature:	High Efficiency

## Product Details

### Production Description:

Product Introduction: With a special single impeller or double impellers, WQ series sewage pump greatly improves ability of passing dirt. The fiber material, 5 times bigger than pump caliber can be passed. Diameter of solid particles, which is equal to 50% of pump caliber also can be passed.

### Product Application

- > The sewage of the factory sewage
- > The sewage treatment system of the sewage treatment plant
- > The sewage treatment system of the urban sewage treatment plant
- > The sewage discharge of the hospital and the hotel

### Specification

Product Name:	WQ Non-clogging Submersible Sewage Pump
Material:	Cast iron
Seal Material:	Graphite/silicon carbide
Max. Flow:	2400m <sup>3</sup> /h/ 10567GPM
Max. Head:	40m
Max. Pressure:	4bar/58psi
Max. Working	60°C/140F
Max. rev:	2950rpm
Motor Power:	0.55kw~315kw
Voltage:	220v,380v
Motor:	AFT,50hz/60hz
Available Connection:	Flange(EN1092-2,IS07005-2)
Operated:	Electric
Application Scope:	Sewage treatment system
Packaging Details:	Wooden box
Delivery details:	7-20 days after receiving payment
Brand:	LYSON or OEM



WQ

LYSON sewage submercible pump

## Overview

### Quick Details

Brand Name:	LYSON
Model Number:	50WQ10-10-0.75
Place of Origin:	Shanghai, China
Applicati	Commercial Buildings, Family Homes, Food and Beverage Industry, Ir...
Horsepower:	1HP
Power Source:	Electric
Pressure:	low pressure
Structure:	Multistage Pump
Cable Length:	8 meters
Outlet Size:	50mm
Voltage:	380v
Power:	50hz
Material:	Cast Iron
Liquid:	watse water
Color:	black
Flow rate:	10m3/H
Head:	10m
Speed:	2900r/min
Warranty:	12 Months
Pump Type:	Cast Iron Electric Centrifugal Pump
Function:	Liquid Transfer
Keywords:	Transfer Pump
Certification:	ce



# Specification

power	0.75kw
head	10m
flow rate	10m³/h



Submersible sewage pump for Hospital Drain Sewage

Overview

Quick Details

Warranty:	12 months, 12months
Customized support:	OEM, ODM
Brand Name:	LYSON OR OEM
Model Number:	50WQ15-30-3
Place of Origin:	Shanghai, China
Application:	Commercial Buildings, Family Homes, wastewater treatm...
Horsepower:	3
Power Source:	Electric
Pressure:	21bar
Structure:	Single-stage Pump
Cable Length:	8m
Outlet Size:	50mm
Voltage:	380v
Power:	3kw
Color:	black
Material:	Cast Iron
Motor:	3 Phase Motor
Head:	30
Flow rate:	15
Use:	waste water transport
Product name:	sewage pump
Impeller:	stainless steel
Frequency:	50 HZ
Certification:	ce

## Specification

item	value
Brand Name	LYSON OR OEM
Model Number	50WQ9-22-2.2
Place of Origin	China
	Shanghai
Application	Commercial Buildings, Family Homes, wastewater treatment
Horsepower	2.5
Power Source	Electric
Structure	Single-stage Pump
Outlet Size	50mm
Voltage	380v
Power	2.2kw
Certification	ce
Color	black
Material	Cast Iron
Motor	3 Phase Motor
Warranty	12months
Head	22
Flow rate	9
Use	waste water transport
Product name	sewage pump
Impeller	stainless steel
Frequency	50 HZ

**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Россия (495)268-04-70

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Казахстан (7172)727-132

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93